

Light temperatures: **2700 K** **4500 K** **6500 K**

132562 **134562** **136562**

56 D / Ø 35 mm (opt. Ø 27.0 mm)

132482 **134482** **136482**

48 D / Ø 35 mm (opt. Ø 27.5 mm)

132392 **134392** **136392**

39 D / Ø 35 mm

132282 **134282** **136282**

28 D / Ø 35 mm



132242 **134242** **136242**

24 D / Ø 55 mm (opt. Ø 52.5 mm)



132202 **134202** **136202**

20 D / Ø 55 mm



132172 **134172** **136172**

16 D / Ø 35 mm



132162 **134162** **136162**

16 D / Ø 60 mm




LED illuminated hand magnifiers

■ ÖKOLUX plus mobil



Portable magnifier with 4-chip SMD LED.

- Very bright, consistent and high-contrast light through the special light emitting diode
- Individually tested light temperatures can reduce the magnification needed
- Low energy consumption and long battery life – easy battery replacement thanks to hinged battery box cover
- Convenient integrated lanyard loop
- Aspheric lightweight lens
- Supplied with microfibre pouch
- 3 AAA alkaline batteries required



Box ÖKOLUX plus mobil high power lenses

132022 **134022** **136022**

Contents: 56 D Ø 35 mm, 48 D Ø 35 mm, 39 D Ø 35 mm, 28 D Ø 35 mm, 24 D Ø 55 mm, 20 D Ø 55 mm, base, 5 lanyards



Box ÖKOLUX plus mobil low power lenses

132042 **134042** **136042**

Contents: 16 D Ø 60 mm, 12 D Ø 70 mm, 10 D 75x50 mm, 10 D 75x50 mm angled, 8 D Ø 85 mm, 6 D Ø 100 mm

Box ÖKOLUX plus mobil

132092 **134092** **136092**

Contents: 28 D Ø 35 mm, 24 D Ø 55 mm, 20 D Ø 55 mm, 16 D Ø 60 mm, 12 D Ø 70 mm, 10 D 75x50 mm, 10 D 75x50 mm angled



Carton display 5 ÖKOLUX plus mobil

132052 **134052** **136052**

Contents: 12 D Ø 70 mm, 10 D 75x50 mm, 10 D 75x50 mm angled, 8 D Ø 85 mm, 6 D Ø 100 mm, base, 20 consumer flyers



Carton display 3 ÖKOLUX plus mobil

132032 **134032** **136032**

Contents: 12 D Ø 70 mm, 8 D Ø 85 mm, 6 D Ø 100 mm, base, 20 consumer flyers



130092 ÖKOLUX plus mobil base

Writing and reading stand suitable for ÖKOLUX plus mobil

180902 Pack of 5 lanyards

180912 Pack of 5 wrist straps

156002 Pack of 3 AAA alkaline batteries

Items can be ordered with or without the necessary batteries as per price list.

Light temperatures: **2700 K** **4500 K** **6500 K**

132132 **134132** **136132**

12 D / Ø 35 mm



132122 **134122** **136122**

12 D / Ø 70 mm



132112 **134112** **136112**

10 D / 75x50 mm




132102 **134102** **136102**

10 D / 75x50 mm, angled




132802 **134802** **136802**

8 D / Ø 85 mm



132062 **134062** **136062**

6 D / Ø 100 mm



Light temperatures: **2700 K** **4500 K** **6500 K**



LED illuminated stand magnifiers

■ ÖKOLUX plus



Battery operated illuminated stand magnifier with a 4-chip SMD LED available in 3 light temperatures.

- Individually tested light temperatures can reduce the magnification needed
- Inclination of 8 D magnification head convertible for right or left-handed use
- Very bright, consistent and high-contrast light through the special light emitting diode
- Ideal illumination of the reading material or viewing object enhanced by light-coloured material of the closed magnification head
- Low energy consumption and long battery life – easy battery replacement thanks to hinged battery box cover
- Aspheric lightweight lens
- 3 AA alkaline batteries required



Box ÖKOLUX plus high power lenses

142292 **144292** **146292**

Contents: 56 D, 48 D, 39 D, 28 D



Box ÖKOLUX plus low power lenses

142092 **144092** **146092**

Contents: 20 D, 16 D, 12 D, 8 D

155002 Pack of 3 AA alkaline batteries

■ **ÖKOLUX plus**
magnification heads

Easily interchangeable closed magnification head for different magnification powers.

■ **ÖKOLUX plus**
magnifier handles

Easily interchangeable magnifier handle for different light temperatures.




Handle ÖKOLUX plus

142002 **144002** **146002**



140292 **Box ÖKOLUX plus high power lenses for testing**

Contents: Heads 56 D, 48 D, 39 D, 28 D and handles 2700 K, 4500 K, 6500 K



140252 **Box ÖKOLUX plus low power lenses for testing**

Contents: Heads 24 D, 20 D, 16 D, 12 D, 8 D and handles 2700 K, 4500 K, 6500 K

Items can be ordered with or without the necessary batteries as per price list.



140562 **Head ÖKOLUX plus**
56 D / Ø 35 mm (opt. Ø 27.0 mm)



140482 **Head ÖKOLUX plus**
48 D / Ø 35 mm (opt. Ø 27.5 mm)



140392 **Head ÖKOLUX plus**
39 D / Ø 35 mm



140282 **Head ÖKOLUX plus**
28 D / Ø 35 mm



140242 **Head ÖKOLUX plus**
24 D / Ø 55 mm (opt. Ø 52.5 mm)



140202 **Head ÖKOLUX plus**
20 D / Ø 55 mm



140162 **Head ÖKOLUX plus**
16 D / Ø 60 mm



140122 **Head ÖKOLUX plus**
12 D / Ø 70 mm



140082 **Head ÖKOLUX plus**
8 D / 100 x 75 mm